

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

1 Identification of the substance/mixture and of the company/undertaking

- · Product identifier
- · Trade name: PermafloTM DC Catalyst
- · Article number: SDS 52-001.09R01, 63698, 1006455, 5912, 5914, 5915
- Relevant identified uses of the substance or mixture and uses advised against Professional Dental Restorative Material
- · Application of the substance / the mixture Professional Dental Restorative Material
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ultradent Products Inc.

505 W. Ultradent Drive (10200 S)

South Jordan, UT 84095-3942

USA

onlineordersupport@ultradent.com

(800) 552-5512

EC Responsible Person

Ultradent Products GmbH

Am Westhover Berg 30

51149 Cologne Germany

Email: infoDE@ultradent.com

Office Phone: +49(0)2203-35-92-0

- · Further information obtainable from: Customer Service
- Emergency telephone number:

CHEMTREC (NORTH AMERICA): +1 (800) 424-9300

(INTERNATIONAL): +(703) 527-3887

2 Hazards identification

- · Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms GHS07
- · Signal word Warning
- · Hazard-determining components of labelling:

Triethylene Glycol Dimethacrylate

Trade Secret

Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide

· Hazard statements

H332 Harmful if inhaled.

H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Trade name: PermafloTM DC Catalyst

(Contd. of page 1)

· Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

3 Composition/information on ingredients

- · Mixtures
- · **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 109-16-0	Triethylene Glycol Dimethacrylate	>10-≤25%
EINECS: 203-652-6	♦ Skin Sens. 1, H317	
	Trade Secret	≥0.1-<1%
	♠ Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317	
CAS: 75980-60-8	Diphenyl (2,4,6- trimethylbenzoyl) phosphine oxide	≥0.1-<1%
EINECS: 278-355-8	🕸 Repr. 2, H361f; 🕠 Skin Sens. 1B, H317	

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

This product is a viscous gel, therefore chance of inhalation is extremely low.

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Firefighting measures

- Extinguishing media
- · Suitable extinguishing agents:

Foam, dry chemical, carbon dioxide

(Contd. on page 3)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Trade name: PermafloTM DC Catalyst

(Contd. of page 2)

Use fire extinguishing methods suitable to surrounding conditions.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters:
- · Protective equipment:

Wear fully protective suit.

Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation
- Environmental precautions: Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

See product labelling.

Keep container tightly sealed.

· Specific end use(s) Professional dental restorative material

8 Exposure controls/personal protection

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists valid during the making were used as basis.
- · Exposure controls
- · Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

(Contd. on page 4)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Trade name: PermafloTM DC Catalyst

(Contd. of page 3)

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Hand protection



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye/face protection Goggles recommended during refilling
- · Body protection: Protective work clothing

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Odour:
Acrylic

• Odour threshold: Not determined. • Melting point/freezing point: Undetermined.

• Boiling point or initial boiling point and boiling range Undetermined. • Flammability Not applicable.

· Lower and upper explosion limit

· Lower:
 · Upper:
 · Upper:
 · Flash point:
 Not determined.
 >150 °C

• **Decomposition temperature:** Not determined.

· pH Not applicable (non-aqueous)

· Viscosity:

Kinematic viscosityDynamic:Not determined.Not determined.

Solubility

• water: Not miscible or difficult to mix.

• Partition coefficient n-octanol/water (log value)
• Vapour pressure:

Not determined.

Not determined.

Density and/or relative density

Density at 20 °C:
 Relative density
 Vapour density
 Not determined.
 Not determined.

(Contd. on page 5)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Structurally viscous

Trade name: PermafloTM DC Catalyst

(Contd. of page 4)

α	•	r	
Ithor	In	tovm	กทากท
Other	uiu	viiii	uuvu

· Appearance:

· Form:

Important information on protection of health and environment, and on safety.

• Ignition temperature: Product is not selfigniting.

• Explosive properties: Product does not present an explosion hazard.

· Change in condition

• Evaporation rate Not determined.

Information with regard to physical hazard classes

Void · Explosives Void · Flammable gases · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void · Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases

in contact with water Void

Oxidising liquids Void

Oxidising solids Void

Organic peroxides Void

Corrosive to metals Void

· Desensitised explosives

10 Stability and reactivity

- · Reactivity Polymerization occurs when exposed to visible light, ultraviolet light or extreme heat.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Void

- · **Possibility of hazardous reactions:** No dangerous reactions known.
- · Conditions to avoid: Visible light, ultraviolet light, and extreme heat
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Harmful if inhaled.

109-16-0 Triethylene Glycol Dimethacrylate

	LD50	>5,000 mg/kg (rat)
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)
Dermal	LD50	>2,000 mg/kg (mouse)

(Contd. on page 6)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Trade name: PermafloTM DC Catalyst

			(Contd. of page 5)	
	Trade Seci	ret		
İ	Oral	LD50	1,550 mg/kg (rat)	
		LC50 Fish	19 mg/l (Fish)	
	Dermal	LD50	2,000 mg/kg (rabbit)	
İ	Inhalative	LC50/4 h	96 mg/l (rat)	

- · Respiratory or skin sensitisation May cause an allergic skin reaction.
- Information on other hazards
- Endocrine disrupting properties

None of the ingredients is listed.

12 Ecological information

· Toxicity

· Aquatic toxicity:			
109-16-0 Triethy	109-16-0 Triethylene Glycol Dimethacrylate		
EC50	>100 mg/kg (Algae)		
Biodegradability	28 days (Aerobic) (Biodegradability testing)		
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)		
Trade Secret	Trade Secret		
EC50	42 mg/kg (Algae)		

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation

Dispose of contents/container in accordance with international, federal, state, and local regulations.

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information

- · UN number or ID number
- · ADR, ADN, IMDG, IATA

not regulated

(Contd. on page 7)

Printing date 12.09.2025 Version number 1 Revision: 12.09.2025

Trade name: PermafloTM DC Catalyst

		(Contd. of page
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	not regulated	
Packing group		
ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user	Not Applicable	
Maritime transport in bulk according	to IMO	
instruments	Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- · NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · Poisons Act
- · Regulated explosives precursors

None of the ingredients is listed.

· Regulated poisons

None of the ingredients is listed.

· Reportable explosives precursors

None of the ingredients is listed.

· Reportable poisons

None of the ingredients is listed.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases from Section 3

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H361f Suspected of damaging fertility.

(Contd. on page 8)

Printing date 12.09.2025 Revision: 12.09.2025 Version number 1

Trade name: PermafloTM DC Catalyst

(Contd. of page 7)

· Department issuing SDS: Environmental, Health, and Safety

· Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1B: Skin sensitisation - Category 1B Repr. 2: Reproductive toxicity - Category 2

* * Data compared to the previous version altered.