

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier**
- **Trade name:** OraSeal™ Caulk - OraSeal™ Putty
- **Article number:**
SDS 87-001.11R01, 10322, 10321, 10259, 351, 351-JP, 352, 352-JP, 354, 10261, 14150, 353, 353-JP, 355, 4934
- **Relevant identified uses of the substance or mixture and uses advised against**
Professional Dental Caulking & Sealing Materials
- **Application of the substance / the mixture** Professional Dental Caulking & Sealing Materials
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Ultradent Products Inc.
505 W. Ultradent Drive (10200 S)
South Jordan, UT 84095-3942
USA
onlineordersupport@ultradent.com
(800) 552-5512
- **EC Responsible Person**
Ultradent Products GmbH
Am Westhover Berg 30
51149 Cologne Germany
Email: infoDE@ultradent.com
Office Phone: +49(0)2203-35-92-0
- **Further information obtainable from:** Customer Service
- **Emergency telephone number:**
CHEMTREC (NORTH AMERICA) : +1 (800) 424-9300
(INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
The product is not classified, according to the GB CLP regulation.
- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void

3 Composition/information on ingredients

- **Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.
- **Dangerous components:**

CAS: 57-55-6	Propylene Glycol	<40%
EINECS: 200-338-0	substance with a Community workplace exposure limit	

(Contd. on page 2)

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 1)

CAS: 13463-67-7	Titanium Dioxide	1-10%
EINECS: 236-675-5	⚠ Carc. 2, H351	
	Siloxane Polyalkyleneoxide Copolymer	≥0.1-<1%
	⚠ Repr. 2, H361f	

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
Water spray, fog, or mist, foam, dry chemical, carbon dioxide
Use fire extinguishing methods suitable to surrounding conditions.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters:**
- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** Not required.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling:** See product labeling.
- **Information about fire - and explosion protection:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** See product labelling.

(Contd. on page 3)

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 2)

· **Specific end use(s)** Professional Dental Caulking & Sealing Materials

8 Exposure controls/personal protection

· **Control parameters**· **Ingredients with limit values that require monitoring at the workplace:**

57-55-6 Propylene Glycol

WEL Long-term value: 474* 10** mg/m³, 150* ppm
*total vapour and particulates **particulates

13463-67-7 Titanium Dioxide

WEL Long-term value: 10* 4** mg/m³
*total inhalable **respirable

· **Additional information:** The lists valid during the making were used as basis.· **Exposure controls**· **Appropriate engineering controls** No further data; see section 7.· **Individual protection measures, such as personal protective equipment**· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.· **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.· **Hand protection**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Goggles recommended during refilling· **Body protection:** Protective work clothing

9 Physical and chemical properties

· **Information on basic physical and chemical properties**· **General Information**· **Physical state**

Liquid

· **Colour:**

Off-white and Ivory

· **Odour:**

Odourless

· **Odour threshold:**

Not determined.

· **Melting point/freezing point:**

Undetermined.

· **Boiling point or initial boiling point and boiling range**

>35 °C

· **Flammability**

Not applicable.

· **Lower and upper explosion limit**· **Lower:**

Not determined.

· **Upper:**

Not determined.

· **Flash point:**

>121 °C

· **Decomposition temperature:**

Not determined.

(Contd. on page 4)

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 3)

· pH	Not applicable (non-aqueous)
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1-1.3 g/cm ³
· Relative density	Not determined.
· Vapour density	Not determined.
· Other information	
· Appearance:	
· Form:	Paste
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

10 Stability and reactivity

- **Reactivity Stable**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:** No further relevant information available.
- **Incompatible materials:** No further relevant information available.

(Contd. on page 5)

GB

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 4)

· **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

· **Information on hazard classes as defined in Regulation (EC) No 1272/2008**· **Acute toxicity** Based on available data, the classification criteria are not met.· **LD/LC50 values relevant for classification:**

57-55-6 Propylene Glycol

Oral LD50 18,000 mg/kg (rabbit)

LC50 Fish >5,000 mg/l (Fish)

Dermal LD50 20,800 mg/kg (rabbit)

13463-67-7 Titanium Dioxide

Oral LD50 >5,000 mg/kg (rat)

Dermal LD50 >5,000 mg/kg (rabbit)

· **Primary irritant effect:**· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.· **Carcinogenicity** Based on available data, the classification criteria are not met.· **Reproductive toxicity** Based on available data, the classification criteria are not met.· **STOT-single exposure** Based on available data, the classification criteria are not met.· **STOT-repeated exposure** Based on available data, the classification criteria are not met.· **Aspiration hazard** Based on available data, the classification criteria are not met.· **Information on other hazards**· **Endocrine disrupting properties**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**· **Aquatic toxicity:**

57-55-6 Propylene Glycol

EC50 18,100 mg/kg (Algae)

13463-67-7 Titanium Dioxide

EC50 >100 mg/kg (Algae)

>1,000 mg/kg (Fish)

· **Persistence and degradability** No further relevant information available.· **Bioaccumulative potential** No further relevant information available.· **Mobility in soil** No further relevant information available.· **Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.· **Other adverse effects**· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

(Contd. on page 6)

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 5)

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation**
Dispose of contents/container in accordance with international, federal, state, and local regulations.
- **Uncleaned packaging:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- | | |
|--|-----------------|
| · UN number or ID number | |
| · ADR, ADN, IMDG, IATA | not regulated |
| · UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | not regulated |
| · Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | not regulated |
| · Packing group | |
| · ADR, IMDG, IATA | not regulated |
| · Environmental hazards: | Not applicable. |
| · Special precautions for user | Not Applicable |
| · Maritime transport in bulk according to IMO instruments | Not applicable. |
| · UN "Model Regulation": | not regulated |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

- **Poisons Act**

- **Regulated explosives precursors**

None of the ingredients is listed.

- **Regulated poisons**

None of the ingredients is listed.

- **Reportable explosives precursors**

None of the ingredients is listed.

- **Reportable poisons**

None of the ingredients is listed.

(Contd. on page 7)

Safety data sheet according to UK REACH

Printing date 03.12.2025

Version number 1

Revision: 03.12.2025

Trade name: OraSeal™ Caulk - OraSeal™ Putty

(Contd. of page 6)

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Chemical safety assessment:**
Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases from Section 3**
H351 Suspected of causing cancer.
H361f Suspected of damaging fertility.
- **Department issuing SDS:** Environmental, Health, and Safety
- **Contact:** Customer Service
- **Abbreviations and acronyms:**
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
ATE: Acute toxicity estimate values
Carc. 2: Carcinogenicity – Category 2
Repr. 2: Reproductive toxicity – Category 2
- *** Data compared to the previous version altered.**

GB